









Advance Products & Systems, LLC.  
 P.O. Box 60399  
 Lafayette, LA 70596-0399  
 Phone: 337-233-6116 Fax: 337-232-3860  
 E-mail: [sales@apsonline.com](mailto:sales@apsonline.com)  
 Website: [www.apsonline.com](http://www.apsonline.com)

### AWWA C207 Gasket Specification

Please fill out the appropriate sections of the following form in order for APS to manufacture your gasket correctly.

<b>SECTION A</b> Type of Connection		Note: If flanges are not identical, you must specify both flange thicknesses for sleeve to fit properly; <u>Standard Calculations:</u> Sleeve Length Calculations: THK#1 + THK#2 + GASKET THK + 0.0625 = LENGTH Sleeve Length for Tapped Holes: THK#1 + (GASKET THICKNESS) + 0.0625 = LENGTH		<b>SECTION E</b> Type of Material Needed	
Note: For raise face flanges please add the raise face thickness to the flange thickness when entering flange thicknesses below				Note: Check One Type of Material for Each Item.	
<b>Flange #1</b> 	Type: Ring  Hub  Blind	Class B D E F	<b>Flange #2</b> 	Type: Ring  Hub  Blind	Class B D E F
Flange I.D. : _____ Flange Thickness : _____ # of Tapped Holes : _____		Flange I.D. : _____ Flange Thickness : _____ # of Tapped Holes : _____		<b>Gasket:</b> Phenolic Nitrile-Coated Phenolic G-10 Other: _____ (Duplex Only)	
 Valve Connection		 Valve Connection		<b>Seal:</b> Nitrile Viton PTFE EPDM	
Valve I.D. : _____ Flange Thickness : _____ # of Tapped Holes : _____		Valve I.D. : _____ Flange Thickness : _____ # of Tapped Holes : _____		Note: Only G-10 Gasket Material with EPDM or PTFE Seals are NSF61 Approved.	
<b>SECTION D</b> Type of Gasket Needed				<b>Sleeve:</b> G-10 Integral Mylar G-10 Integral Other: _____	
 Type E Gasket O.D. (O.D. of Flange)		 Type F Gasket O.D. (B.C. - B.H. - 1/16")		<b>Washer:</b> Micarta G-10 <b>Backup Washer:</b> Steel Stainless (304) Stainless (316) Other: _____	
				<b>Quantity of Seals (per Side):</b> <b>Quantity of Washers:</b> Single Duplex (Two)	
<b>SECTION D</b>		<b>NOMINAL SIZE:</b>		<b>PRESSURE CLASS:</b>	
FLANGE O.D.	O.D.		BOLT SIZE	B.S.	
ACTUAL GASKET I.D.	I.D.		SHOULDER BOLT DIAMETER	SHO	
FLANGE I.D.	Fig. I.D.		RAISED FACE O.D.	RFOD	
BOLT CIRCLE DIAMETER	B.C.D.		CUSTOM SLEEVE LENGTH	SLV.	
BOLT HOLE QTY.	# HOLES		SLEEVE LENGTH FOR TAPPED HOLES	SLV. TAPPED	
BOLT HOLE SIZE	B.H.				
<b>Comments:</b>					
				Company Name: _____	
				Signature: _____	
				Date: _____	

Disclaimer: This version may not be the most current revision. Please visit [www.apsonline.com](http://www.apsonline.com) to verify that you are utilizing the most current revision.